

SAFETY DATA SHEET

Verruca and Wart Spray

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Verruca and Wart Spray

Internal identification A2475

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier CUXSON GERRARD & Co. LTD
125 BROADWELL ROAD
OLDBURY
WEST MIDLANDS
B69 4BF
+44(0) 121 544 7117
sales@cuxsongerrard.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 777 8505 330 (24 hrs).

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Aerosol 1 - H222, H229

Health hazards Not Classified

Environmental hazards Not Classified

Classification (67/548/EEC or 1999/45/EC) F+;R12.

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements H222 Extremely flammable aerosol.
H229 Pressurised container: may burst if heated

Precautionary statements P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Do not pierce or burn, even after use.
P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.
P102 Keep out of reach of children.
P501 Dispose of contents/ container in accordance with local regulations.

2.3. Other hazards

Verruca and Wart Spray

Protective actions during firefighting Use water to keep fire exposed containers cool and disperse vapours.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Provide adequate ventilation. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Absorb spillage with inert, damp, non-combustible material. Flush contaminated area with plenty of water.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with eyes. Do not breathe vapour/spray. Use only outdoors or in a well-ventilated area. Provide adequate ventilation. Do not expose to temperatures exceeding 50°C/122°F. Eliminate all sources of ignition. Do not pierce or burn, even after use. Keep out of the reach of children. Do not eat, drink or smoke when using this product. To avoid risks to human health and the environment, comply with the instructions for use.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from heat, sparks and open flame. Do not expose to temperatures exceeding 50°C/122°F. Keep locked up and out of the reach of children. Store in a well-ventilated place.

Storage class Miscellaneous hazardous material storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

HYDROCARBON PROPELLANT

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m³

Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m³

DIMETHYL ETHER

Long-term exposure limit (8-hour TWA): WEL 400 ppm 766 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 985 mg/m³

WEL = Workplace Exposure Limit

DIMETHYL ETHER (CAS: 115-10-6)

Verruca and Wart Spray

12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transport information

Special Provisions note

14.1. UN number

UN No. (ADR/RID) 1950

UN No. (IMDG) 1950

UN No. (ICAO) 1950

14.2. UN proper shipping name

Proper shipping name (ADR/RID) AEROSOLS

Proper shipping name (IMDG) AEROSOLS

Proper shipping name (ICAO) AEROSOLS

Proper shipping name (ADN) .

14.3. Transport hazard class(es)

ADR/RID class 2.1

ADR/RID classification code 5F

IMDG class 2.1

ICAO class/division 2.1

Transport labels



14.4. Packing group

14.5. Environmental hazards

SAFETY DATA SHEET

CARNATION COOL FOOT ANTIPERSPIRANT FOOT SPRAY

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name CARNATION COOL FOOT ANTIPERSPIRANT FOOT SPRAY

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Skin Care product

1.3. Details of the supplier of the safety data sheet

Supplier Cuxson Gerrard & Co.Ltd.
 125 Broadwell Road
 Oldbury
 West Midlands
 B69 4BF
 TEL. 0121 544 7117
 info@cuxsongerrard.com

1.4. Emergency telephone number

Emergency telephone +44 (0) 777 8505 330 (24 hrs)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Aerosol 1 - H222, H229
 Health hazards Not Classified
 Environmental hazards Not Classified

Classification (67/548/EEC or F+;R12, R52/53,
 1999/45/EC)

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements H222 Extremely flammable aerosol.
 H229 Pressurised container; may burst if heated

CARNATION COOL FOOT ANTIPERSPIRANT FOOT SPRAY

Precautionary statements	<p>P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P211 Do not spray on an open flame or other ignition source.</p> <p>P251 Do not pierce or burn, even after use.</p> <p>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.</p> <p>P102 Keep out of reach of children.</p> <p>P260 Do not breathe vapour/spray.</p> <p>P271 Use only outdoors or in a well-ventilated area.</p> <p>P501 Dispose of contents/container in accordance with national regulations.</p>
---------------------------------	--

Contains HYDROCARBON PROPELLANT

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

HYDROCARBON PROPELLANT	60-100%
CAS number: 68476-85-7	EC number: 270-704-2
Classification	Classification (67/548/EEC or 1999/45/EC)
Flam. Gas 1 - H220	F+;R12.
Press. Gas, Liquefied - H280	
ISOPARAFFINIC HYDROCARBON	5-10%
CAS number: 90622-56-3	EC number: 292-458-5
	REACH registration number: 01-2119471305-42-0000
Classification	Classification (67/548/EEC or 1999/45/EC)
Flam. Liq. 2 - H225	Xn;R65. Xi;R38. F;R11. N;R51/53. R67.
Skin Irrit. 2 - H315	
Asp. Tox. 1 - H304	
STOT SE 3 - H336	
Aquatic Chronic 2 - H411	
ALUMINIUM CHLORIDE	1-5%
CAS number: 1327-41-9	EC number: 215-477-2
Classification	Classification (67/548/EEC or 1999/45/EC)
Skin Irrit. 2 - H315	Xi;R36/37/38.
Eye Irrit. 2 - H319	
STOT SE 3 - H335	
HYDRATED MAGNESIUM SILICATE	<1%
CAS number: 14807-96-6	EC number: 238-877-9
Classification	Classification (67/548/EEC or 1999/45/EC)
Not Classified	-

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

CARNATION COOL FOOT ANTIPERSPIRANT FOOT SPRAY

Composition comments Aerosol propelled by liquefied petroleum gas.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water. Do not induce vomiting. Get medical attention if any discomfort continues.
Skin contact	Wash skin thoroughly with soap and water.
Eye contact	Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Vapours may cause drowsiness and dizziness.
Ingestion	May cause discomfort if swallowed.
Skin contact	Prolonged contact may cause dryness of the skin.
Eye contact	May cause discomfort.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Specific hazards	Extremely flammable aerosol. Pressurised container: may burst if heated
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO). Carbon dioxide (CO ₂).

5.3. Advice for firefighters

Protective actions during firefighting Use water to keep fire exposed containers cool and disperse vapours.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with eyes. Avoid inhalation of vapours. Provide adequate ventilation. If aerosol cans are ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. Wash thoroughly after dealing with a spillage.

6.2. Environmental precautions

Environmental precautions Harmful to aquatic life with long lasting effects. Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. Provide adequate ventilation. Absorb small quantities with paper towels and evaporate in a safe place. Once evaporation is complete, place paper in a suitable waste disposal container and seal securely. Wash thoroughly after dealing with a spillage.

CARNATION COOL FOOT ANTIPERSPIRANT FOOT SPRAY

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Provide adequate ventilation. Do not pierce or burn, even after use. Do not expose to temperatures exceeding 50°C/122°F. Avoid inhalation of vapours and spray/mists.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store at temperatures between 4°C and 40°C. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep out of the reach of children.

Storage class Flammable compressed gas storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

HYDROCARBON PROPELLANT

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1750 mg/m³

Short-term exposure limit (15-minute): WEL 1250 ppm 2180 mg/m³

HYDRATED MAGNESIUM SILICATE

Long-term exposure limit (8-hour TWA): WEL 1 mg/m³

WEL = Workplace Exposure Limit

ISOPARAFFINIC HYDROCARBON (CAS: 90622-56-3)

DNEL

Industry - Dermal; systemic effects: 773 mg/kg/day

Industry - Inhalation; systemic effects: 2035 mg/m³

Consumer - Dermal; systemic effects: 699 mg/kg/day

Consumer - Inhalation; systemic effects: 608 mg/m³

Consumer - Oral; systemic effects: 699 mg/kg/day

8.2. Exposure controls

Protective equipment



Appropriate engineering controls Provide adequate ventilation.

Hand protection Wear protective gloves made of the following material: Nitrile rubber.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Aerosol.

Odour Pleasant, agreeable.

CARNATION COOL FOOT ANTIPERSPIRANT FOOT SPRAY

pH Not applicable.
Solubility(ies) Slightly soluble in water.

9.2. Other information

Other information Not determined.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Carbon monoxide (CO), Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Inhalation Vapours may cause drowsiness and dizziness.
Ingestion May cause discomfort if swallowed.
Skin contact Prolonged contact may cause dryness of the skin.
Eye contact May cause discomfort.

Toxicological information on ingredients.

HYDROCARBON PROPELLANT

Toxicological effects No information available.

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 20.01

Species Rat

ATE inhalation (vapours mg/l) 20.01

Reproductive toxicity

CARNATION COOL FOOT ANTIPERSPIRANT FOOT SPRAY

Reproductive toxicity - development No information available.

ISOPARAFFINIC HYDROCARBON**Acute toxicity - oral**

Acute toxicity oral (LD₅₀ mg/kg) 5,000.0

Species Rat

Notes (oral LD₅₀) Conclusive data but not sufficient for classification.

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,000.0

Species Rat

Notes (dermal LD₅₀) Conclusive data but not sufficient for classification.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Conclusive data but not sufficient for classification.

SECTION 12: Ecological Information

Ecotoxicity Harmful to aquatic life with long lasting effects.

12.1. Toxicity

Acute toxicity - fish Not determined.

Ecological information on ingredients.**HYDROCARBON PROPELLANT**

Acute toxicity - fish Not determined.

ISOPARAFFINIC HYDROCARBON

Acute toxicity - fish , 96 hours, 96 hours: ~ 18.4 mg/l, *Onchorhynchus mykiss* (Rainbow trout)

Acute toxicity - aquatic invertebrates , 48 hours, 48 hours: ~ 2.4 mg/l, *Daphnia magna*

12.2. Persistence and degradability

Persistence and degradability The product is expected to be biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential The product is not bioaccumulating.

12.4. Mobility in soil

Mobility The product is partly soluble in water and may spread in the aquatic environment.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

CARNATION COOL FOOT ANTIPERSPIRANT FOOT SPRAY

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of waste product or used containers in accordance with local regulations

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID)	1950
UN No. (IMDG)	1950
UN No. (ICAO)	1950
UN No. (ADN)	1950

14.2. UN proper shipping name

Proper shipping name (ADR/RID)	AEROSOLS
Proper shipping name (IMDG)	AEROSOLS
Proper shipping name (ICAO)	AEROSOLS
Proper shipping name (ADN)	AEROSOLS

14.3. Transport hazard class(es)

ADR/RID class	2.1
IMDG class	2.1
ICAO class/division	2.1

Transport labels



14.4. Packing group

ADR/RID packing group	5F
-----------------------	----

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Tunnel restriction code	(D)
-------------------------	-----

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

CARNATION COOL FOOT ANTIPERSPIRANT FOOT SPRAY

EU legislation Commission Regulation (EU) No 453/2010 of 20 May 2010.

Guidance Workplace Exposure Limits EH40.

15.2. Chemical safety assessment

SECTION 16: Other information

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	11/05/2015
Revision	1.0
Supersedes date	13/09/2011
SDS number	25708
Risk phrases in full	<p>R11 Highly flammable.</p> <p>R12 Extremely flammable.</p> <p>R38 Irritating to skin.</p> <p>R51/53 Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</p> <p>R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.</p> <p>R65 Harmful: may cause lung damage if swallowed.</p> <p>R67 Vapours may cause drowsiness and dizziness.</p>
Hazard statements in full	<p>H220 Extremely flammable gas.</p> <p>H222 Extremely flammable aerosol.</p> <p>H225 Highly flammable liquid and vapour.</p> <p>H229 Pressurised container: may burst if heated</p> <p>H280 Contains gas under pressure; may explode if heated.</p> <p>H304 May be fatal if swallowed and enters airways.</p> <p>H315 Causes skin irritation.</p> <p>H319 Causes serious eye irritation.</p> <p>H335 May cause respiratory irritation.</p> <p>H336 May cause drowsiness or dizziness.</p> <p>H411 Toxic to aquatic life with long lasting effects.</p>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.

SAFETY DATA SHEET
CARNATION SOOTHING FOOT SPRAY

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Name : CARNATION SOOTHING FOOT SPRAY
Synonyms, Trade Names : N/A

CAS-No. : 67-63-0
EU Index No. : 603-117-00-0
EC No. : 200-661-7

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Liquid for soothing feet

1.3. Details of the supplier of the safety data sheet

Supplier:

Cuxson Gerrard & Co. Ltd
125 Broadwell Road,
Oldbury,
West Midlands.
B69 4BF
Tel. 0121 544 7117
info@cuxsongerrard.com

1.4. Emergency telephone number

Emergency Contact Number : +44 121 544 7117
(Office Hours)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical and Chemical Hazards	Flam. Liq. 2 - H225
Human health	Eye Irrit. 2 - H319; STOT Single 3 - H336
Environment	Not classified.

Classification (67/548/EEC) : F;R11 Xi;R36 R67

The Full Text for all R-Phrases and Hazard Statements is Displayed in Section 16

2.2. Label elements

EC No. : 200-661-7
Label In Accordance With (EC) No. 1272/2008

Extinguishing Media

Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

5.2. Special hazards arising from the substance or mixture

Unusual Fire & Explosion Hazards

HIGHLY FLAMMABLE! Vapours are heavier than air and may spread near ground to sources of ignition.

Specific Hazards

Oxides of: Carbon.

5.3. Advice for firefighters

Protective Measures in Fire

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Follow precautions for safe handling described in this safety data sheet. Take precautionary measures against static discharges. Provide adequate ventilation.

6.2. Environmental precautions

Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Extinguish all ignition sources. Avoid sparks, flames, heat and smoking. Ventilate. Absorb with inert, damp, non-combustible material, then flush area with water. Collect spillage in containers, seal securely and deliver for disposal according to local regulations.

6.4. Reference to other sections

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid spilling, skin and eye contact. Keep away from heat, sparks and open flame. Storage tanks and other containers must be grounded. Mechanical ventilation or local exhaust ventilation is required.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed. Keep in original container. Keep away from heat, sparks and open flame.

Storage Class

Flammable liquid storage.

7.3. Specific end use(s)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs	STEL - 15 Min	Notes
PROPAN-2-OL	WEL	400	999	500 1250

WEL = Workplace Exposure Limit.

8.2. Exposure controls

Protective Equipment



Respiratory Equipment

If ventilation is insufficient, suitable respiratory protection must be provided

Ingestion.

Gastrointestinal symptoms, including upset stomach. May cause nausea, headache, dizziness and intoxication. Narcotic effect.

Skin Contact

Irritating to skin.

Eye Contact

Irritating to eyes.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity:

The product is not expected to be toxic to aquatic organisms.

12.1. Toxicity

Acute Fish Toxicity

Not considered toxic to fish.

LC 50, 96 Hrs, Fish mg/l 9640 -10400. Pimephales promelas

EC 50, 48 Hrs, Daphnia, mg/l 2285 -13299 Daphnia magna

12.2. Persistence and degradability

Degradability:

The product is easily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative Potential:

Will not bio-accumulate.

12.4. Mobility in soil

Mobility:

The product is soluble in water.

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

SECTION 13: DISPOSAL CONSIDERATIONS

General Information

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority. Do not puncture or incinerate even when empty. Rags and the like, moistened with flammable liquids, must be discarded into designated fireproof bucket.

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

Un Number Road	1219
UN No. (IMDG)	1219
UN No. (ICAO)	1219

14.2 UN Proper shipping name

Proper Shipping Name CARNATION SOOTHING FOOT SPRAY

14.3 Transport hazard class(es)

ADR/RID/ADN Class	3
ADR/RID/ADN Class	Class 3: Flammable liquids.
ADR Label No.	3
IMDG Class	3
ICAO Class/Division	3

Transport Labels